

ISS-5P-SR-FS

<https://www.gigahertz-optik.com/en-us/product/iss-5p-sr-fs/>

Product tags: VIS , NIR



Description

Spectral radiance calibration Standard lamp for fluorescence spectrometer

Compact design

Integrating sphere light source with a homogeneous entrance port of 20 mm. The sphere itself is based on a synthetic ODM98 coating with excellent long-term stability. As a light source a LH-5-UV-Quartz halogen lamp is used.



Traceable calibration

The calibration of the device is in spectral radiance in a range of 380 nm to 1700 nm. Included is as well a calibration certificate which shows the traceable calibration chain back to a national metrology institute.

Option

For operation an optional quality current regulated power supply of the [LPS-100](#) can be used.

Specifications


General

Short description	Spectral radiance calibration Standard lamp for fluorescence spectrometer.
Main features	Compact design. Homogeneous entrance port of 20 mm. ODM98 coating with excellent long-term stability. LH-5-UV-Quartz halogen light source.
Measurement range	380 nm to 1700 nm
Typical applications	Spectral radiance calibration Standard lamp for fluorescence spectrometer
Calibration	Calibration of the spectral radiance (380 nm to 1700 nm). Calibration certificate with description of the calibration procedure, reference standards applied, traceability and calibration uncertainty.





Product

Illuminated field	20 mm
Coating	ODM98
Light Source	5 W 6 V

Spectral radiance



Configurable with

Product Name	Product Image	Description	Go to product
KLW-S3		Calibration of the spectral radiance. Features: Factory calibration	https://www.gigahertz-optik.com/en-us/product/klw-s3/
KLW-R3		Calibration of the radiance. Features: Factory calibration	https://www.gigahertz-optik.com/en-us/product/klw-r3/
P-9710		High-End Optometer for Measurement of CW-, Single Pulse and Modulated Radiation	https://www.gigahertz-optik.com/en-us/product/p-9710/
ED-ISS-100-MD		Control electronic for integrating sphere sources	https://www.gigahertz-optik.com/en-us/product/ed-iss-100-md/

Purchasing information

Article-Nr	Modell	Description
Product		
15298481	ISD-5P-SR-FS	Consists of integrating sphere, halogen lamp and calibration certificate.

Contact, Calibration, Service & Support

We are known worldwide for excellent technical consulting and after sales support. Contact us to find together the best solution for you. Our services:

- Technical Consulting & Sales
- After-Sales Support
- Calibrations & Re-Calibrations ([ISO/IEC 17025 Calibration Services](#), [factory calibration](#), [Calibration of Third-Party Products](#))
- Repairs & Updates
- OEM & Feasibility Consulting of Customized Solutions

[Send us your inquiry](#) or contact us by phone or e-mail. We would welcome your feedback too or review us on [Google](#).

Gigahertz Optik GmbH (Headquarter)

Tel.: +49 (0)8193-93700-0
Fax: +49 (0)8193-93700-50
info@gigahertz-optik.de

An der Kaelberweide 12
82299 Tuerkenfeld, Germany

Gigahertz-Optik, Inc. (US office)

Phone: +1-978-462-1818
info-us@gigahertz-optik.com

Boston North Technology Park
Bldg B - Ste 205
Amesbury, MA 01913 USA